

BID EVALUATION REPORT

Tenders 2022-23 Children Hospital Faisalabad

Technical Evaluation of firms/ companies

Surgical & Disposables Items

1 | Page

Stage-01

SR. NO.	EVALUATION CRITERIA	POINTS	1. <i>M/s: Muller & Phipps Pakistan Pvt. Ltd Lahore</i>	2. <i>M/S: Jamal Din & Sons, Lahore</i>	3. <i>M/S: Superior healthcare International Fsd</i>	4. <i>M/S: Global Marketing Services, Lahore</i>	5. <i>M/S: Yousaf & Co. Lahore</i>	6. <i>M/S: Tanveer Enterprises Fsd</i>	7. <i>M/S: Verizon Lahore</i>	8. <i>M/S: Popular international (Pvt) Fsd</i>	REMARKS
1.	Financial Position / Status i. Income Tax registration certificate ii. Sales tax registration certificate iii. Statement worth (min 5 million)	15 (04) (04) (07)	04 04 07	04 04 00	04 04 07	04 04 07	04 04 07	04 04 07	00 00 07	04 04 07	
			15	08	15	15	15	15	07	15	
2.	a) Valid Manufacturing License (For manufacturers) (Applicable on firm's who have quoted surgical items registered as drugs). i. valid manufacturing license ii. applied for renewal iii. invalid manufacturing license and did not applied for renewal (Technical Proposal REJECTED) b) Valid Drug sales license (For importers / distributors / sole agents) (Applicable on firm's who have quoted surgical items registered as drugs) i. valid drug sales license ii. Applied for renewal iii. Invalid drug sales license and did not applied for renewal (Technical Proposal REJECTED)	10 (10) (06) (00) (10) (06) (00)	10	10	10	10	00 Expired No Renewal	10	10	10	
3.	Overall past performance of the firm/company A. Children Hospital, Faisalabad i) very good ii) good iii) satisfactory B. Other Govt. Institutions No past experience with this institution but the firm has experience with other Govt. Institutions and firm has provided satisfactory performance certificate from the Head of those Govt. institutions (competent authority). D. Unsatisfactory/ Poor (technically knocked out)	15 (15) (12) (09) 03 points = each certificate maximum = 15 points	00	00	00	00	00	15	00	06	

BID EVALUATION REPORT

Tenders 2022-23 Children Hospital Faisalabad

Technical Evaluation of firms/ companies

Surgical & Disposables Items

Stage-01

			1.	2.	3.	4.	5.	6.	7.	8.	
	EVALUATION CRITERIA	POINTS	<i>M/s: Muller & Phipps Pakistan Pvt. Ltd Lahore</i>	<i>M/S: Jamal Din & Sons, Lahore</i>	<i>M/S: Superior healthcare International Fsd</i>	<i>M/S: Global Marketing Services, Lahore</i>	<i>M/S: Yousaf & Co. Lahore</i>	<i>M/S: Tanveer Enterprises Fsd</i>	<i>M/S: Verizon Lahore</i>	<i>M/S: Popular international (Pvt) Fsd</i>	REMARK
4.	Warehouse / good own i. Company's/firm's own ware house / good own ii. Company's own transportation facility (loading vehicle)	05 (03) (02)	00	00	00	00	05	05	05	00	
5.	International Certification i) ISO (9001, etc.) ii) CE iii) FDA (USA) iv) FDA (China) v) WHO	05 (05) (04) (05) (03) (05) <hr style="width: 50%; margin-left: 0;"/> Maximum = 5	05	05	05	05	05	05	05	05	
	Qualifying Points = 30	Total Points = 50	30	23	30	30	25	50	27	36	
	REMARKS		REJECTED No Past Performance	Technically REJECTED No Past Performance No Statement Worth	REJECTED No Past Performance	REJECTED No Past Performance No License No Index No Page marking	Technically REJECTED No Past Performance License Expired	-	REJECTED No Past Performance	-	

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

BID EVALUATION REPORT

Tenders 2022-23 Children Hospital Faisalabad




Technical Evaluation of firms/ companies

Surgical & Disposables Items

3 | Page

Stage-01

SR. NO.	EVALUATION CRITERIA	POINTS	9. <i>M/S: Intek Corporation Rawalpindi</i>	10. <i>M/S: Tahir Pharmacy Fsd</i>	11. <i>M/S: Bestech Enterprises Fsd</i>	12. <i>M/S: Hope Enterprises Fsd</i>	13. <i>M/S: Ali Medical Store Fsd</i>	14. <i>M/S: Husnain Pharma Fsd</i>	15. <i>M/S: Clinical Life Inc. Lahore</i>	16. <i>M/S: Moon Enterprises Lahore</i>	REMARKS
1.	Financial Position / Status	15									
	i. Income Tax registration certificate ii. Sales tax registration certificate iii. Statement worth (min 5 million)	(04) (04) (07)	04 04 07	04 04 07	04 04 07	04 04 07	04 04 07	04 04 07	04 04 07	04 04 07	
			15	15	15	15	15	15	15	15	
2.	a) Valid Manufacturing License (For manufacturers) (Applicable on firm's who have quoted surgical items registered as drugs).	10									
	i. valid manufacturing license ii. applied for renewal iii. invalid manufacturing license and did not applied for renewal (Technical Proposal REJECTED)	(10) (06) (00)									
	b) Valid Drug sales license (For importers / distributors / sole agents) (Applicable on firm's who have quoted surgical items registered as drugs)		10	10	00	10	10	10	10	10	
	i. valid drug sales license ii. Applied for renewal iii. Invalid drug sales license and did not applied for renewal (Technical Proposal REJECTED)	(10) (06) (00)									
3.	Overall past performance of the firm/company	15									
	A. Children Hospital, Faisalabad i) very good ii) good iii) satisfactory	(15) (12) (09)									
	B. Other Govt. Institutions No past experience with this institution but the firm has experience with other Govt. Institutions and firm has provided satisfactory performance certificate from the Head of those Govt. institutions (competent authority). D. Unsatisfactory/ Poor (technically knocked out)	03 points = each certificate maximum = 15 points	00	06	00	12	12	12	09	06	

BID EVALUATION REPORT

Tenders 2022-23 Children Hospital Faisalabad

Technical Evaluation of firms/ companies

Surgical & Disposables Items

Stage-01

EVALUATION CRITERIA		POINTS	9. <i>M/S: Intek Corporation Rawalpindi</i>	10. <i>M/S: Tahir Pharmacy Fsd</i>	11. <i>M/S: Bestech Enterprises Fsd</i>	12. <i>M/S: Hope Enterprises Fsd</i>	13. <i>M/S: Ali Medical Store Fsd</i>	14. <i>M/S: Husnain Pharma Fsd</i>	15. <i>M/S: Clinical Life Inc. Lahore</i>	16. <i>M/S: Moon Enterprises Lahore</i>	REMARKS
4.	Warehouse / good own i. Company's/firm's own ware house / good own ii. Company's own transportation facility (loading vehicle)	05 (03) (02)	00	03	00	05	03	03	00	00	
5.	International Certification i) ISO (9001, etc.) ii) CE iii) FDA (USA) iv) FDA (China) v) WHO	05 (05) (04) (05) (03) (05) <hr style="width: 50%; margin: 0;"/> Maximum = 5	05	00	00	04	04	00 Expired	05	05	
Qualifying Points = 30		Total Points = 50	30	34	15	46	44	40	39	36	
REMARKS			REJECTED No Past Performance	-	REJECTED -No License -No Performance -Unacceptable terms & condition of the firm	-	-	-	-	-	

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

BID EVALUATION REPORT

Tenders 2022-23 Children Hospital Faisalabad

Technical Evaluation of firms/ companies

Surgical & Disposables Items

Stage-01

SR. NO.	EVALUATION CRITERIA	POINTS	17. <i>M/S: Friends Enterprises Fsd</i>	18. <i>M/S: Ibrahim Enterprise Fsd</i>	19. <i>M/S: Irshad-Ul - Haq Enterprises</i>	REMARKS
1.	Financial Position / Status i. Income Tax registration certificate ii. Sales tax registration certificate iii. Statement worth (min 5 million)	15 (04) (04) (07)	04 04 07	04 04 07	04 04 07	
			15	15	15	
2.	a) Valid Manufacturing License (For manufacturers) (Applicable on firm's who have quoted surgical items registered as drugs). i. valid manufacturing license ii. applied for renewal iii. invalid manufacturing license and did not applied for renewal (Technical Proposal REJECTED) b) Valid Drug sales license (For importers / distributors / sole agents) (Applicable on firm's who have quoted surgical items registered as drugs) i. valid drug sales license ii. Applied for renewal iii. Invalid drug sales license and did not applied for renewal (Technical Proposal REJECTED)	10 (10) (06) (00)	10	10	10	
3.	Overall past performance of the firm/company A. Children Hospital, Faisalabad i) very good ii) good iii) satisfactory B. Other Govt. Institutions No past experience with this institution but the firm has experience with other Govt. Institutions and firm has provided satisfactory performance certificate from the Head of those Govt. institutions (competent authority). D. Unsatisfactory/ Poor (technically knocked out)	15 (15) (12) (09) 03 points = each certificate maximum = 15 points	12	09	06	





BID EVALUATION REPORT

Tenders 2022-23 Children Hospital Faisalabad

Technical Evaluation of firms/ companies


Surgical & Disposables Items


6 | Page


Stage-01

			17.	18.	19.	
	EVALUATION CRITERIA	POINTS	M/S: Friends Enterprises Fsd	M/S: Ibrahim Enterprise Fsd	M/S: Irshad-Ul - Haq Enterprises	REMARKS
4.	Warehouse / good own i. Company's/firm's own ware house / good own ii. Company's own transportation facility (loading vehicle)	05 (03) (02)	03	03	03	
5.	International Certification i) ISO (9001, etc.) ii) CE iii) FDA (USA) iv) FDA (China) v) WHO	05 (05) (04) (05) (03) (05) <hr/> Maximum = 5	00	04	05	
	Qualifying Points = 30	Total Points = 50	40	41	39	

Page 2 of 2


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《 BID EVALUATION REPORT 》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Surgitex Rahman Rainbow Pvt Ltd China	M/S: Superior Healthcare international. Wellmed Ningbo greatmountain medical China	Pack of 200 Pads or less Best Quality	Pack of 200 Pads or less Best Quality	Pack of 200 Pads or less Best Quality	Pack of 200 Pads or less Best Quality	Pack of 200 Pads or less Best Quality	Pack of 200 Pads or less Best Quality	REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08	08							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03	04							
		Total points = 50	35	36							

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《 BID EVALUATION REPORT 》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Moon Enterprises ImuMed [®] Hangzhou Rollmed Co. Ltd China	M/S: Friends Enterprises Medipal Alcohol Disinfectant Wipes, Pal International UK	M/S: Tanveer Enterprises Fsd AKA Spray Wipes Detro Healthcare, Turkey	Best Quality	REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Sample for evaltion is not provided, hence rejected	04 05 02 02	Not as per specification As product claim ethyl alcohol while required is isopropyl alcohol Hence Rejected		
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		16			
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		08			
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		04			
		Total points = 50		41			

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Nipro Scalp Vein Set Nipro/Lab link Indonesia	24 G Best Quality	REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 05 01 02		
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16		
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08		
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04		
		Total points = 50	40		

Ayesha Nazir

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq

Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali

Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

4.		Breathing Circuit for anesthesia with valve & bag			Best Quality (Child)						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Ningbo greatmountain medical China	M/S: Tanveer Enterprises Fsd Emedical breathing Circuit Excellentcare Medical/4A China	M/S: Ibrahim Enterprises Hitecare Hitec Medical China						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	Not As Per Specification Adult Size Provided, Hence Rejected	04 04 02 02	04 04 02 02						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)		20	16						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)		08	08						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)		04	04						
		Total points = 50		44	40						

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peditric Surgery
 Children Hospital Faisalabad
 (Chairman)

《 BID EVALUATION REPORT 》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

5.	Breathing Circuit Pediatric with valve & bag	Best Quality (pediatric)						REMARKS				
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Ningbo greatmountain medical China	M/S: Tanveer Enterprises Fsd Emedical breathing Circuit Excellentcare Medical/4A China	M/S: Ibrahim Enterprises Hitecare Hitec Medical China	M/S: Ali Medical Store Flexicare Flexicare Medical Ltd Uk/China						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Not As Per Specification Adult Size Provided. Hence Rejected	04 04 02 02	04 04 02 02	Not As Per Specification Adult Size Provided. Hence Rejected						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		20	20							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		10	08							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03	04							
		Total points = 50		45	44							

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

6.	Blood Bag		250ml Best Quality										REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Friends Enterprises Wego China											
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product (05) ii. Use of Medical grade material (Product) (05) iii. Quality of printing (Label, outer carton, etc.) (02) iv. Quality of packing / packaging & labeling material etc. (03) v. Poor quality of printing / packing / packaging & labeling material etc. (00)	15	M/S: Friends Enterprises Wego China Expired Drug License by way of wholesale of M/s IBL Healthcare limited + Registration certificate is not provided hence rejected											
2.	Product's past experience i) very good (20) ii) good (16) iii) satisfactory (12) iv) No past experience with this institution but the product is technically accepted. (12) v) Procuring agency has evidence of poor quality of the product (Technically rejected) (00)	20												
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% (06) ii. 50% to 60% (08) iii. 60% to 70% (10) iv. 71% and above (10)	10												
4.	Experience of the product in the market i) Less than 1 year experience (00) ii) 1-3 years experience (03) iii) 4-8 years experience (04) iv) 9-15 years (& above) experience (05)	05												
		Total points = 50												

Ayesha Nazir
Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《 BID EVALUATION REPORT 》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Friends Enterprises Wego China	7. Blood Bag 500ml Best Quality								REMARKS		
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton. etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Expired Drug License by way of wholesale of M/s IBL Healthcare limited + Registration certificate is not provided hence rejected											
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)												
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)												
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)												
		Total points = 50												

Ayesha Nazir

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq

Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali

Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《 BID EVALUATION REPORT 》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

8.	Blood Bag	500ml Double Best Quality										REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Friends Enterprises Wego China									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	M/S: Friends Enterprises Wego China Expired Drug License by way of wholesale of M/s IBL Healthcare limited + Registration certificate is not provided hence rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										

Ayesha Nazir

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq

Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali

Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《 BID EVALUATION REPORT 》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

9.	Blood Bag	500ml Triple Best Quality	
SR. NO.	EVALUATION CRITERIA	POINTS	REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	M/S: Friends Enterprises Wego China Expired Drug License by way of wholesale of M/s IBL Healthcare limited + Registration certificate is not provided hence rejected
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	
		Total points = 50	

Ayesha Nazir

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq

Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali

Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

10.		Burette Set			100ml Sterile Best Quality						REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Hunan Luzhou China	M/S: Ibrahim Enterprises Classic Fine Changzhou Yuandong China	M/S: Ali Medical Store Care Xuyi Webest Medical Products Co. China							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Presence of Rubber Ring in the Cylinder Drap Registration is less than one Year Old hence Rejected	04 04 02 02	Invalid Registration, Hence Rejected No Enlistment at Drap Hence Rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		20								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		08								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		04								
		Total points = 50		44								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《 BID EVALUATION REPORT 》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-Ul-Haq Enterprises Surgitex Rehman Rainbow Pvt Ltd, Pakistan	M/S: Ali Medical Store Leader Absorbent Cotton Wool Kohinor Industries Pakistan	BPC Best Quality	BPC Best Quality	BPC Best Quality	BPC Best Quality	BPC Best Quality	BPC Best Quality	REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	20	20							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	00	00							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03	03							
		Total points = 50	35	35							

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Heads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

12.	Crape bandage	7.5cm x 6m (B.P.C) best Quality								
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Surgitex Rehman Rainbow Pvt Ltd, Pakistan	M/S: Tanveer Enterprises Fsd Elastocrepe Essity Germany	M/S: Ali Medical Store Crepe Bandage Kohinoor Indsutires, Pakistan					REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16	Not As Per Specification Size Provided 7x4.5	Not As Per Specification Size Provided 7x4.5					
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	00							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03							
		Total points = 50	31							

Ayesha Nazir

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq

Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali

Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

«**BID EVALUATION REPORT**»

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Local Pakistan	100g Bottle best Quality	REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02		
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16		
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	00		
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04		
		Total points = 50	34		

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peditric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Ibrahim Enterprises Classic Sultansons Pakistan	M/S: Ali Medical Store Tomato Orthopedic padding, Tomato M & C Korea	M/S: Tanveer Enterprises Fsd Sofban Essity, Germany	4" Best Quality	REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	Sample for Evaluation is not provided hence rejected	04 04 02 02		
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12		12		
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06		06		
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03		03		
		Total points = 50	33		33		

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《 BID EVALUATION REPORT 》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

15.

Cotton bandage

6.5cm x 6m (B.P.C) Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Surtitex Rehman Rainbow Pvt Ltd, Pakistan	M/S: Ali Medical Store Kohinoor Surgical Bandage Kohinoor Indsutires, Pakistan								REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	Not As per Specification Hence Rejected 6.5 x 5m provided								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04									
	Total points =	50	38									

Ayesha Nazir

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq

Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali

Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tahir Pharmacy Fsd Medcomp USA	3 Fr Best Quality	REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 03		
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12		
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06		
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03		
		Total points = 50	34		

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

17. CVP Line		3.5 Fr Best Quality								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tahir Pharmacy Fsd Medcomp USA							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 03							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03							
		Total points = 50	34							

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《 BID EVALUATION REPORT 》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

18. CVP Line		4 Fr Best Quality								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tahir Pharmacy Fsd Medcomp USA							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 03							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03							
		Total points = 50	34							

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

19.	CVP Line	4.5 Fr Best Quality	REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tahir Pharmacy Fsd Medcomp USA
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 03
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03
		Total points = 50	34

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

20.		CVP Line			5 Fr Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tahir Pharmacy Fsd Medcomp USA							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 03							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03							
		Total points = 50	34							

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

21.		CVP Line		5.5 Fr Best Quality						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tahir Pharmacy Fsd Medcomp USA							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 03							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03							
		Total points = 50	34							

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

23.

Chest Tube

16 Fr Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Fortune Medical Taiwan	M/S: Ali Medical Store Chest Tube Bicakcilar Dis Ticaret Turkey								REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Enlistment/Registration in drap is not provided hence rejected	05 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		16								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		04								
		Total points = 50		39								

Ayesha Nazir

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq

Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali

Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

«**BID EVALUATION REPORT**»

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

25.		Cuartery lead Monopolar		Best Quality						REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: M Yousaf & Co. Skymax Disposable Bismed Internation Pakistan	M/S: Superior Healthcare international. Wellmed Zhejiang Jinhua Huatong China							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	03 04 02 02	Free Sale Certificate from Zhejiang Jinhua Huatong China is missing hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04								
		Total points = 50	33								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

26.		Colostomy Bag Complete set			(Bag+ Clump + Wafer + Strip Paste) single use						REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Coloplast Denmark	M/S: Ibrahim Enterprises Bao Health Bao health medical China	M/S: Ali Medical Store Conform2 Hollister Inc. USA/Ireland							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	04 04 02 02	Sample for evaluation is not provided hence rejected	Sample is Not As per Specification hence rejected Free Sale Certificate of bag & Paste is not attached hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)	12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)	06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)	03									
		Total points = 50	33									

Ayesha Nazir
Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

27.		Disposable Syringe 1cc				Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Friends Enterprises Shifa Changzhou Tongda Medical China	M/S: Ibrahim Enterprises Silver Surgical Complex Pakistan	M/S: Ali Medical Store UCI Jinagxi Sanxin Medtec Co. China						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	Not as per Specification as insuline syringe is not required Hence Rejected	04 04 02 02						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12		12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	10		10						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04		04						
	Total points = 50		38			38					

Ayesha Nazir
Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

28.	Disposable Syringe 3cc	3cc Leur Lock Auto Disposable with Needle 23G DRAP Registered As Per Govt. instructions
-----	-------------------------------	--

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. BM Disposable Nisa.SF Pvt Ltd	M/S: Friends Enterprises Shifa Changzhou Tongda Medical China	M/S: Tahir Pharmacy Fsd Bio-Safe Injection System Pvt Ltd, Pakistan	M/S: Ibrahim Enterprises St Classic Shandong Wuzhou China	M/S: Ali Medical Store Yi Xin Ad Jinagxi Sanxin Medtec Co. China					REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02	Sample is Not Provided Hence Rejected	04 04 02 02	Not User Friendly, Hence Rejected						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12	12		12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	10	08		06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	06	03		03							
		Total points = 50	37	35	33								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

29.

Disposable Syringe 5cc

**5cc Leur Lock Auto Disposable with Needle 23G
DRAP Registered
As Per Govt. instructions**

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. BM Disposable Nisa.SF Pvt Ltd	M/S: Friends Enterprises Shifa Changzhou Tongda Medical China	M/S: Tahir Pharmacy Fsd Bio-Safe Injection System Pvt Ltd, Pakistan	M/S: Tanveer Enterprises Fsd Apple K1. Amson Pakistan	M/S: Ibrahim Enterprises Orange Silver Surgical Complex Pakistan	M/S: Ali Medical Store Yi Xin Ad Jinagxi Sanxin Medtec Co. China				REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02	Poor Quality Sample Provided Hence Rejected	05 04 02 02	04 04 02 02	Poor Quality Sample Provided Hence Rejected					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12	12		12	12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	10	08		08	08						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03	03		04	03						
		Total points = 50	37	35		37	35						

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

30.		Disposable Syringe 10cc					Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. BM Disposable Nisa.SF Pvt Ltd	M/S: Friends Enterprises Shifa Changzhou Tongda Medical China	M/S: Tahir Pharmacy Fsd Bio-Safe Injection System Pvt Ltd, Pakistan	M/S: Tanveer Enterprises Fsd Apple Disposable Amson Pakistan	M/S: Ali Medical Store UCI Jinagxi Sanxin Medtec Co. China					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02	04 04 02 02	04 04 02 02	04 04 02 02					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)	12	12	12	12	12					
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)	10	08	08	08	06					
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)	03	03	03	03	04					
		Total points = 50	37	35	35	35	34					

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

31. Disposable Syringe 20cc		Best Quality						REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. BM Disposable Nisa.SF Pvt Ltd	M/S: Friends Enterprises Shifa Changzhou Tongda Medical China	M/S: Ibrahim Enterprises Classic Fine Changzhou Yuandong China	M/S: Ali Medical Store UCI Jinagxi Sanxin Medtec Co. China			
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02	04 04 02 02	04 04 02 02			
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12	12	12	12			
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08	08	06	06			
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03	03	03	04			
		Total points = 50	35	35	33	34			

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Harooq
 Dr. Shafiq Harooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

32. Disposable Syringe 50cc with side Needle		Best Quality									REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. NISA Shifeng China	M/S: Friends Enterprises Shifa Changzhou Tongda Medical China	M/S: Ibrahim Enterprises Classic Fine Changzhou Yuandong China	M/S: Ali Medical Store UCI Jinagxi Sanxin Medtec Co. China					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	DRAP Registration Certificate is not provided, Hence Rejected	Not As Per Specification Hence Rejected	04 04 02 02	Not As Per Specification Hence Rejected					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)			12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)			06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)			03						
		Total points = 50			33						

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

33. Drapes surgical Disposable		Best Quality								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: M Yousaf & Co. Skymax Surgical Disposable Disposable Skybro Health Care Pakistan	M/S: Hope Enterprises Laparotomy Drape Pack Euroset, Nurel Turkey	M/S: Tanveer Enterprises Fsd Medpro Drape Set Medpro/Anax Associates, China					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02	04 04 02 02					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12	12	12					
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06	06	06					
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03	03	03					
		Total points = 50	33	33	33					

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

34. Drip Set/ IV Set		Sterile Best Quality						REMARKS		
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. BM Disposable Nisa.SF Pvt Ltd	M/S: Friends Enterprises Shifa Changzhou Tongda Medical China	M/S: Ibrahim Enterprises ST Classic Shandong Wuzhou China					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02 12	04 04 02 02	Drap Registration Certificate not Provided					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12	12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06	06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03	03						
		Total points = 50	33	33						

Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

35.

Disposable Dignity Sheet

900 x 600mm Pack of 10 Sheets

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Shandong Aishule Hygiene Product China	M/S: Ibrahim Enterprises Classic Liny 2H Healthcare China	M/S: Ali Medical Store Maxcare Shandong jingxin non-joachim molitor China							REMARKS		
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (l.label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/Drap Registration Provided hence Rejected	12	No Enlistment/Drap Registration Provided hence Rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		16										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03										
		Total points = 50		37										

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

36.		Disposable surgical Gown					Sterilized Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: M Yousaf & Co. Skymax Disposable Gown Skybro Health Care Pakistan	M/S: Hope Enterprises Euroset, Nurel Turkey	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Friends Enterprises Intra Line Sadqain Healthcare Pakistan	M/S: Tanveer Enterprises Fsd Medpro Surgical Gown Medpro/Anax Associates, China					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02	04 04 02 02	04 04 02 02	04 04 02 02					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12	12	12	12	12					
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06	08	06	08	08					
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04	03	04	03	03					
		Total points = 50	34	35	34	35	35					

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

37.

Disposable Caps

Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-Ul-Haq Enterprises Imported China	M/S: M Yousaf & Co. Skymax Disposable Cap Skybro Health Care Pakistan	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China						REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02	Shape is not adjustable, hence rejected						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08	08							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04	04							
		Total points = 50	36	36							

Ayesha Nazir
Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
(Chairman)

《 BID EVALUATION REPORT 》
FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

38.	Disposable Shoe Cover	Best Quality								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Imported China	M/S: M Yousaf & Co. Skymax Disposable Shoe Cover Skybro Health Care Pakistan	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton. etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02	04 04 02 02					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12	12	12					
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08	06	08					
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04	04	03					
	Total points =	50	36	34	37					

Ayesha Nazir
Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
 EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Hope Enterprises Virusole+EDS, Amity International UK	M/S: Friends Enterprises Reprodis Medimark UK	M/S: Tanveer Enterprises Fsd Endostar NEU Apsta Germany	M/S: Ali Medical Store Triacid-N Antiseptica Dr. Hans-joachim Molitor Germany	Bottle of 1 Liter /2 Liter	REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	125ml provided instead of demanded 1 Liter or 2 Liter un-registered. Hence Rejected	5Liter provided instead of demanded 1 Liter or 2 Liter un-registered. Hence Rejected	500ml provided instead of demanded 1 Liter or 2 Liter un-registered. Hence Rejected	125ml provided instead of demanded 1 Liter or 2 Liter un-registered, Hence Rejected		
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)						
		Total points = 50						

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《 BID EVALUATION REPORT 》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

41.

Disinfection Solution for Flexible Endoscope

Bottle of 500ml

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Hope Enterprises Virusolve+EDS Amity International UK	M/S: Tanveer Enterprises Fsd Endomet Plus Apsia Germany								REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	125ml provided instead of demanded 1 Liter or 2 Liter un-registered, Hence Rejected	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		08									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03									
		Total points = 50		35									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

42.	Disinfection Solution for Surface Cleaner	Best Quality Rate/Liter								REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Hope Enterprises Virusolve+ Amity International UK	M/S: Friends Enterprises Chemgene Medimark UK	M/S: Tanveer Enterprises Fsd Alphaguard Apsta Germany	M/S: Ali Medical Store Descocid-N Antiseptica Dr. Hans-joachim Molitor Germany					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Sample for Evaluation is not provided hence rejected	04 04 02 02	04 04 02 02	04 04 02 02					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12	12	12					
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06	08	06					
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03	03	04					
		Total points = 50		33	35	34					

Ayesha Nazir

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq

Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali

Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

43.		Examination Gloves					Medium Box of 100 Nos					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Moon Enterprises AXGlove® AXG Industries SDN BHD Malaysia	M/S: M Yousaf & Co. Primax Examination Gloves Medium BioMax Malaysia	M/S: Superior Healthcare international. Wellmed Top Glove Malaysia	M/S: Friends Enterprises Perfect GMP Medicare Malaysia	M/S: Ibrahim Enterprises AEGIS Glomaxes Malaysia					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	No Enlistment/Drap Registration Provided hence Rejected	No Enlistment/Drap Registration Provided hence Rejected	04 04 02 02	04 04 02 02					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12					12	12			
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06					08	08			
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04					03	03			
		Total points = 50	34			35	35					

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
 EVALUATION OF SURGICAL & DISPOSABLE ITEMS

44.		Examination Gloves				Large Box of 100 Nos				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Moon Enterprises AXGlove® AXG Industries SDN BHD Malaysia	M/S: M Yousaf & Co. Primax Examination Gloves Large BioMax Malaysia	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Friends Enterprises Perfect GMP Medicare Malaysia	M/S: Ibrahim Enterprises AEGIS Glomaxes Malaysia			
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	No Enlistment/Drap Registration Provided hence Rejected	No Enlistment/Drap Registration Provided hence Rejected	04 04 02 02	04 04 02 02			
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12					12	12	
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06					08	08	
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04					03	03	
	Total points = 50		34			35	35			

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Fardooq
 Dr. Shafiq Fardooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

46. Electrode ECG		Best Quality									REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Moon Enterprises imuMed* Hangzhou Rolled Co. Ltd China	M/S: Superior Healthcare international. Wellmed Qingdao bright medical China	M/S: Tanveer Enterprises Fsd My Heart Qingda/Hakimsons China	M/S: Ali Medical Store My Heart Qingdo Bright Medical China					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02	Same brand is quoted by tanveer enterprises and ali medical store Drap enlistment/registration is missing	Same brand is quoted by tanveer enterprises and ali medical store Drap enlistment/registration is missing					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)	12	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)	08	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)	03	04							
		Total points = 50	35	34							

Ayesha Nazir
Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

48.

Follys Catheter No. 14

Silicon Coated Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Bestech Enterprises Fsd Uro-Technology Chroma Brand Malaysia	M/S: Friends Enterprises Perfect Evereast Medical China							REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	16 FR Size is provided instead but the demanded size was 14 FR	No Sample for Evaluation is provided hence rejected	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)				16							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)				06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)				04							
		Total points = 50					38						

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Fakhooq
Dr. Shafiq Fakhooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-Ul-Haq Enterprises Surgitex Rehman Rainbow Pvt. Ltd Pakistan	REMARKS
49.	Guaze Pad (Sterile) pack of 10 Pads			Sterile Best Quality (B.P.C)
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16	
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06	
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04	
	Total points =	50	38	

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《 BID EVALUATION REPORT 》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

50.

Gluco meter Strips

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. OnCall Plus Acon USA	M/S: Friends Enterprises CareSense, I Sense Korea								REMARKS	
1.	Physical Report. (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	Wrong Reading of Strips Hence Rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04										
		Total points = 50	40										

Ayesha Nazir

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq

Dr. Shafiq Farooq
Senior Registrar/Peds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali

Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

51.		I/V Cannula					20G, with Injection Port & Wing best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Friends Enterprises VIENOFIX Lasani Healthcare Pakistan	M/S: Ibrahim Enterprises JRZ Plasticlab Lebanon	M/S: Ali Medical Store B. Cat2 Bicakcilar Dis Ticaret A.s Turkey						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	Not User Friendly Hence rejected	04 04 02 02	04 04 02 02						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12		12	12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06		06	06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04		03	03						
		Total points = 50	34			33	33					

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

52.		I/V Cannula				22G, with Injection Port & Wing best Quality				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Friends Enterprises Vienofix Lasani Healthcare Pakistan	M/S: Ibrahim Enterprises JRZ Plasticlab Lebanon	M/S: Ali Medical Store B. Cat2 Bicakcilar Dis Ticaret A.s Turkey				
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	Not User Friendly Hence Rejected	04 04 02 02	04 04 02 02				
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12		12	12				
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06		06	06				
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04		03	03				
		Total points = 50	34		33	33				

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

53.		I/V Cannula					24G, with Injection Port & Wing best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Friends Enterprises Introcan B Braun Malaysia	M/S: Ibrahim Enterprises Green Silver Surgical Complex Pakistan	M/S: Ali Medical Store B. Cat2 Bicakcilar Dis Ticaret A.s Turkey						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02	04 04 02 02	04 04 02 02						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)	12	12	12	12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)	06	06	06	06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)	04	03	03	03						
		Total points = 50	34	33	33	33						

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Ali Medical Store Liquid Paraffin Kohinoor Industries. Pakistan	Bottle of 1 Liter best Quality								REMARKS			
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Sample for evaluation is not provided hence rejected												
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)													
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)													
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)													
		Total points = 50													

Ayesha Nazir
Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
(Chairman)

《 BID EVALUATION REPORT 》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

55.

Lancet Plastic


Pack of 200 or more Compatible with Gluco Meter Gun

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Medicare Imported China	M/S: Moon Enterprises imuMed® Hangzhou Rollmed Co. Ltd China	M/S: Ibrahim Enterprises RECO Huaian Tianda Medical China							REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16	16	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06	06	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03	03	04							
		Total points = 50	37	36	34							

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)



« BID EVALUATION REPORT »

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

56.		Methylated Spirit Rate/Liter			5 Liter Can best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Local Pakistan							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04							
		Total points = 50	38							

Ayesha Nazir

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq

Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali

Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

57.

Manometer line

Medical Grade PVC Made Packed In Carton

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Ibrahim Enterprises Flux Zhejiang Runqiang China	M/S: Ali Medical Store Extension Line 250PSI 120cm & 150cm Bicakcilar Dis Ticaret Turkey								REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap Enlidment/ Registration certificate not provided hence rejected	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03									
		Total points = 50		33									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

58.

Nasogastric Tube 4

Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Changzhou Yaping Medical China	M/S: Bestech Enterprises Fsd Fortune Medical Taiwan	M/S: Tanveer Enterprises Fsd Feeding Tube. 4 Foyomed/Hakimsons China	M/S: Ibrahim Enterprises Classic Changhou Zhongyou China	M/S: Ali Medical Store Feeding Tube Bicakcilar Dis Ticaret Turkey					REMARKS		
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/ Drap Registration is provided Hence Rejected	Sample for Evaluation is not provided hence rejected No Enlistment/ Drap Registration is provided Hence Rejected	No Enlistment/ Drap Registration is provided Authority Letter (Manufacturer to Importer & Importer to Distributor) is not provided Hence Rejected	04 04 02 02	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)							12	12				
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)							06	06				
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)							04	04				
	Total points =	50							32	32				

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

59.		Nasogastric Tube 5					Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Changzhou Yaping Medical China	M/S: Bestech Enterprises Fsd Fortune Medical Taiwan	M/S: Tanveer Enterprises Fsd Feeding Tube. 5 Foyomed/Hakimsons China	M/S: Ibrahim Enterprises Classic Changhou Zhongyou China	M/S: Ali Medical Store Feeding Tube Bicakcilar Dis Ticaret Turkey					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/ Drap Registration is provided Hence Rejected	Sample for Evaluation is not provided hence rejected No Enlistment/ Drap Registration is provided Hence Rejected	No Enlistment/ Drap Registration is provided Authority Letter (Manufacturer to Importer & Importer to Distributor) is not provided Hence Rejected	04	04					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)				02	04					
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)				12	12					
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)				06	06					
	Total points = 50		04	04								
			32	32								

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

60.

Nasogastric Tube 6

Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Changzhou Yaping Medical China	M/S: Bestech Enterprises Fsd Fortune Medical Taiwan	M/S: Tanveer Enterprises Fsd Feeding Tube. 6 Foyomed/Hakimsons China	M/S: Ibrahim Enterprises Classic Changhou Zhongyou China	M/S: Ali Medical Store Feeding Tube Bicakcilar Dis Ticaret Turkey					REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/ Drap Registration is provided Hence Rejected	Sample for Evaluation is not provided hence rejected No Enlistment/ Drap Registration is provided Hence Rejected	No Enlistment/ Drap Registration is provided Authority Letter (Manufacturer to Importer & Importer to Distributor) is not provided Hence Rejected	Sample for Evaluation is not provided hence rejected	04 04 02 02					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)					12					
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)					06					
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)					04					
		Total points = 50					32					

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

61.

Nasogastric Tube 8

Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Changzhou Yaping Medical China	M/S: Bestech Enterprises Fsd Fortune Medical Taiwan	M/S: Tanveer Enterprises Fsd Feeding Tube. 8 Foyomed/Hakimsons China	M/S: Ibrahim Enterprises Classic Changhou Zhongyou China	M/S: Ali Medical Store Feeding Tube Bicakciar Dis Ticaret Turkey					REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/ Drap Registration is provided Hence Rejected	Sample for Evaluation is not provided hence rejected No Enlistment/ Drap Registration is provided Hence Rejected	No Enlistment/ Drap Registration is provided Authority Letter (Manufacturer to Importer & Importer to Distributor) is not provided Hence Rejected	Sample for Evaluation is not provided hence rejected	04					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)					12					
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)					06					
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)					04					
		Total points = 50					32					

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

62.

Nasogastric Tube 10

Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Changzhou Yaping Medical China	M/S: Bestech Enterprises Fsd Fortune Medical Taiwan	M/S: Tanveer Enterprises Fsd Feeding Tube. 10 Foyomed/Hakimsons China	M/S: Ibrahim Enterprises Classic Changhou Zhongyou China	M/S: Ali Medical Store Feeding Tube Bicakcilar Dis Ticaret Turkey					REMARKS			
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/ Drap Registration is provided Hence Rejected	Sample for Evaluation is not provided hence rejected No Enlistment/ Drap Registration is provided Hence Rejected	No Enlistment/ Drap Registration is provided Authority Letter (Manufacturer to Importer & Importer to Distributor) is not provided Hence Rejected	04 04 02 02	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)													
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)													
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)													
	Total points =	50				32	32								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

63.

Nasogastric Tube 12

Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Changzhou Yaping Medical China	M/S: Bestech Enterprises Fsd Fortune Medical Taiwan	M/S: Tanveer Enterprises Fsd Feeding Tube. 12 Foyomed/Hakimsons China	M/S: Ibrahim Enterprises Classic Changhou Zhongyou China	M/S: Ali Medical Store Feeding Tube 50cm Bicakcilar Dis Ticaret Turkey					REMARKS				
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	No Enlistment/ Drap Registration is provided Hence Rejected	Sample for Evaluation is not provided hence rejected No Enlistment/ Drap Registration is provided Hence Rejected	No Enlistment/ Drap Registration is provided Authority Letter (Manufacturer to Importer & Importer to Distributor) is not provided Hence Rejected	Sample for Evaluation is not provided hence rejected	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)								12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)								06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)								04						
		Total points = 50				32										

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

64.		Nelton drain No 8			Medical Grade PVC Made Packed In Carton						REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Tanveer Enterprises Fsd Nelaton Catheter Medsuyun/Hakimsons China	M/S: Ibrahim Enterprises Classic Changhou Zhongyou China	M/S: Ali Medical Store Nelton Catheter Bicacilar Dis Ticaret Turkey						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	No Enlistment/ Drap Registration is provided Hence Rejected	No Enlistment/ Drap Registration is provided Hence Rejected	04	04						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)			04	04						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)			06	06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)			04	04						
		Total points = 50					32	32				

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Karoq
Dr. Shafiq Karoq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

65.		Nelton Drain No 10			Medical Grade PVC Made Packed In Carton						REMARKS		
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Tanveer Enterprises Fsd Nelaton Catheter Medsuyun/Hakimsons China	M/S: Ibrahim Enterprises Classic Changzhou Zhongyou China	M/S: Ali Medical Store Nelton Cathter Bicakcilar Dis Ticaret Turkey							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/ Drap Registration is provided Hence Rejected	No Enlistment/ Drap Registration is provided Hence Rejected	04	04							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)			12	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)			06	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)			04	04							
	Total points =	50					32	32					

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

66.

Nelton Drain # 12

Medical Grade PVC Made Packed In Carton

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Tanveer Enterprises Fsd Nelaton Catheter Medsuyun/Hakimsons China	M/S: Ibrahim Enterprises Classic Changhou Zhongyou China	M/S: Ali Medical Store Nelton Catheter Bicakcilar Dis Ticaret Turkey						REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/ Drap Registration is provided Hence Rejected	No Enlistment/ Drap Registration is provided Hence Rejected	04 04 02 02	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)					12	12					
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)					06	06					
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)					04	04					
		Total points = 50			32	32							

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

67.

Nelton Drain No 14

Medical Grade PVC Made Packed In Carton

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Tanveer Enterprises Fsd Nelaton Catheter Medsuyun/Hakimsons China	M/S: Ibrahim Enterprises Classic Changhou Zhongyou China	M/S: Ali Medical Store Nelton Catheter Bicakcilar Dis Ticaret Turkey						REMARKS		
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/ Drap Registration is provided Hence Rejected	No Enlistment/ Drap Registration is provided Hence Rejected	Sample for Evaluation is not provided hence rejected	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)							12					
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)							06					
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)							04					
		Total points = 50				32								

Aysha Nazir
Miss Aysha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peditric Surgery
Children Hospital Faisalabad
(Chairman)

68.

Nelton Drain No 16

Medical Grade PVC Made Packed In Carton

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Nelaton Catheter Medsuyun/Hakimsons China	M/S: Ibrahim Enterprises Classic Changhou Zhongyou China	M/S: Ali Medical Store Nelton Catheter Bicakcilar Dis Ticaret Turkey							REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/ Drap Registration is provided Hence Rejected	Sample for Evaluation is not provided hence rejected	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)				12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)				06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)				04							
		Total points = 50			32								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

69.		Disposable Nebulizer kit with mask Neonate size				Silicon Made Best Quality				REMARKS		
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Medicare Imported China	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Friends Enterprises Max Anhui Ganor China	M/S: Tanveer Enterprises Fsd Nebulizer Kit Foyomed/Hakimsons China						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Elitment/ Drap Registration is not provided hence rejected	Sample for evaluation is not provided hence rejected	Provided sample size is not as per specification hence rejected No Elitment/ Drap Registration is not provided hence rejected	Provided sample size is not as per specification hence rejected No Elitment/ Drap Registration is not provided hence rejected						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

70.

Disposable Nebulizer kit with mask Pediatric Size**Silicon Made Best Quality**

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Medicare Imported China	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Friends Enterprises Max Anhui Ganor China	M/S: Tanveer Enterprises Fsd Nebulizer Kit Foyomed/Hakimsons China						REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	No Elitment/ Drap Registration is not provided hence rejected	04 04 02 02	No Elitment/ Drap Registration is not provided hence rejected	No Elitment/ Drap Registration is not provided hence rejected						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)		12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)		06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)		04								
		Total points = 50		34								

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shamq Farooq
 Dr. Shamq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

71.		Disposable Nasal oxygen Cannula Neonate/ pediatric			Silicon Made Best Quality					REMARKS		
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Medicare Imported China	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Tanveer Enterprises Fsd Nasal Oxygen Cannula Foyomed/Hakimsons China							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Elitment/ Drap Registration is not provided hence rejected	04 04 02 02	No Elitment/ Drap Registration is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		08								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		04								
		Total points = 50		36								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

72.		Disposable Oxygen Kit with mask Neonate/ pediatric			Silicon Made Best Quality					REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Medicare Imported China	M/S: Superior Healthcare international. Wellmed Ningbo Greatmountain Medical China	M/S: Tanveer Enterprises Fsd Oxygen Mask Foyomed/Hakimsons China						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Elitment/ Drap Registration is not provided hence rejected	04 04 02 02	No Elitment/ Drap Registration is not provided hence rejected						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		04							
		Total points = 50		34							

Ayesha Nazir

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

73.		Plaster of Paris Bandage			4" B.P.C Best Quality					REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Surgitex Rahman Rainbow Pvt Ltd China	M/S: Tanveer Enterprises Fsd Gypsona Essity Pakistan	M/S: Ali Medical Store Fixona YJ Medical China						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Elitment/ Drap Registration is not provided hence rejected	04 04 02 02	No Elitment/ Drap Registration is not provided hence rejected						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (00)		12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		04							
		Total points = 50		34							

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peds/Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《 BID EVALUATION REPORT 》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

74.		Plaster of Paris Bandage 6"			6" BPC Best Quality						REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Medicare Imported China	M/S: Tanveer Enterprises Fsd Gypsona Essity Pakistan	M/S: Ali Medical Store Fixone YJ Medical China							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Elitment/ Drap Registration is not provided hence rejected	04 04 02 02	No Elitment/ Drap Registration is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		04								
		Total points = 50		34								

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Hope Enterprises Arsopore Asons Pharmaceuticals	M/S: Superior Healthcare international. Wellmed Hunan sanzhong Medical China	M/S: Friends Enterprises Kare Jiangsu Yizheng China	M/S: Tanveer Enterprises Fsd Nichipore Uniferoz Pakistan	M/S: Ali Medical Store Hospital and Homecare Changzhou hualian Health Co China					REMARKS
	75. paper Tape 1 inch											
	Pack of 1 Dozen Best Quality Minimum 4.5 meter Length											
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 05 02 02				04 04 02 02					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16	Poor Adhesiveness Sample Provided Hence Rejected	Poor Adhesiveness Sample Provided Hence Rejected	Poor Adhesiveness Sample Provided Hence Rejected	12					
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08				06					
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04				04					
		Total points = 50	41				34					

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Karooq
 Dr. Shafiq Karooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

76.		Pressure Line Extension Tube T-Connector				Best Quality					REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Hunan sanzhang Medical China	M/S: Ibrahim Enterprises Flux Zhejiang Runqiang China								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Sample for Evaluation is not provided hence rejected	Sample for Evaluation is not provided hence rejected Drap Registration is nor provided hence rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

77. Surgical Gloves		No. 6.5 Latex Material Rate/Pair								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Anhui Medical China	M/S: Friends Enterprises Perfect Tianchang Hengsheng China	M/S: Ibrahim Enterprises MEDISPO YIXING HBM China					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/Drup Registration is provided hence rejected	04 04 02 02	Manufacturer Name Mentioned on the product is different then provided documents No authority letter of usman & Co international karachi is provided hence rejected					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		08						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03						
		Total points = 50		35						

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

78. Surgical Gloves		No. 7 Latex Material Rate/Pair						REMARKS				
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Anhui Medical China	M/S: Friends Enterprises Perfect Tianchang Hengsheng China	M/S: Ibrahim Enterprises MEDISPO YIXING HBM China							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/Drap Registration is provided hence rejected	04 04 02 02	Manufacturer Name Mentioned on the product is different then provided documents No authority letter of usman & Co international karachi is provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		08								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03								
		Total points = 50		35								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

79.		Surgical gloves			No. 7.5 Latex Material Rate/Pair						REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Anhui Medical China	M/S: Friends Enterprises Perfect Tianchang Hengsheng China	M/S: Ibrahim Enterprises MEDISPO YIXING HBM China							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/Drap Registration is provided hence rejected	04 04 02 02	Manufacturer Name Mentioned on the product is different then provided documents No authority letter of usman & Co international karachi is provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		08								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03								
		Total points = 50		35								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paeiatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

80.		Surgical gloves			No. 8 Latex Material Rate/Pair						REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Anhui Medical China	M/S: Friends Enterprises Perfect Tianchang Hengsheng China	M/S: Ibrahim Enterprises MEDISPO YIXING HBM China							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Enlistment/Drup Registration is provided hence rejected	04 04 02 02	Manufacturer Name Mentioned on the product is different then provided documents No authority letter of usman & Co international karachi is provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		08								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03								
		Total points = 50		35								

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

81.		Transparent Tape					1 Inch Best Quality Minimum 4.5 Meter Roll				REMARKS		
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Hope Enterprises Multipore Arsons Pharmaceuticals	M/S: Superior Healthcare international. Wellmed Hunan Sanzhong Medical China	M/S: Friends Enterprises Kare Jiangsu Yizheng China	M/S: Tanveer Enterprises Fsd Leukofix Essity Germany	M/S: Ali Medical Store SurgiTrans Wayson Medical Co China						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	9. 1m roll is provided instead of demanded length of 4.5m Hence Not As Per Required Specification, Rejected	No Sample for evaluation is provided hence rejected	9. 1m roll is provided instead of demanded length of 4.5m Hence Not As Per Required Specification, Rejected	Size is Not Mentioned Hence Rejected	3in x 5 yds is provided instead of demanded length of 1in x 4.5m Hence Not As Per Required Specification, Rejected						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Jamal Dins & Sons Surgiline silk Braided Vikor Healthcare UK & Brazil	M/S: Superior Healthcare international. Pasilk Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. SOFSILK 1 37mm Covidien USA	M/S: Muller & Phipps Lahore Suture Non-Absorb-Silk Johnson & Johnson	M/S: Friends Enterprises Silk SMI SMI Belgium	No. 1 (Round Body) with 30-33mm ½ Circle Needle Pack of 36 or Dozen pack Packed in carton (USA, Europe, japan)			REMARKS				
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Pack Size detail is not provided Not User Friendly Hence Rejected	Pack Size detail is not provided China imported are not demanded Hence Rejected	37mm Size is provided Required Size was 30-33mm Hence Rejected	04 04 02 02	Not User Friendly Hence Rejected Pack Size detail is not provided Hence Rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)													
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)													
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)													
		Total points = 50				33									

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

83.

Black Silk

No. 2/0 (Round Body) with 30-33mm ½ Circle Needle Pack of 36 or
Dozen pack Packed in carton (USA, Europe, japan)

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Jamal Dins & Sons Surgiline silk Braided Vikor Healthcare UK & Brazil	M/S: Superior Healthcare international. Pasilk Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. SOFSILK 2 30mm Covidien USA	M/S: Muller & Phipps Lahore Suture Non-Absorb-Silk Johnson & Johnson	M/S: Friends Enterprises Silk SMI SMI Belgium					REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Pack Size detail is not provided Not User Friendly Hence Rejected	Pack Size detail is not provided China imported are not demanded Hence Rejected	04	04	Not User Friendly Hence Rejected Pack Size detail is not provided Hence Rejected					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)			12	12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)			06	06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)			03	03						
		Total points = 50			33	33						

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

84.		Black Silk				No. 3/0 Round Body) with 24-27mm ½ Circle Needle Pack of 36 or Dozen pack Packed in carton (USA, Europe, japan)						REMARKS				
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Jamal Dins & Sons Surgiline silk Braided Vikor Healthcare UK & Brazil	M/S: Superior Healthcare international. Pasilk Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. SOFSILK 3 26mm Covidien USA	M/S: Friends Enterprises Silk SMI SMI Belgium										
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Pack Size detail is not provided Not User Friendly Hence Rejected	Pack Size detail is not provided China imported are not demanded Hence Rejected	04 04 02 02	Not User Friendly Hence Rejected Pack Size detail is not provided Hence Rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)							12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)							06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)							03							
		Total points = 50			33 .											

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Jamal Dins & Sons Surgiline silk Braided Vikor Healthcare UK & Brazil	M/S: Superior Healthcare international. Pasilk Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. SOFSILK 3 24mm Reverse Cutting Covidien USA	3/0 cutting needle pack of 36 or Dozen Pack USA Europe Japan						REMARKS		
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Poor Quality, Weak Strength Pack Size detail is not provided Not User Friendly Hence Rejected	No Sample for Evaluation is Provided Pack Size detail is not provided China imported are not demanded Hence Rejected	04									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)			12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)			06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)			03									
		Total points = 50			33									


24/02/23
7/2/23
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Jamal Dins & Sons Surgiline silk Braided Vikor Healthcare UK & Brazil	M/S: Superior Healthcare international. Pasilk Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. SOFSILK 4 20mm Covidien USA	No. 4/0 (Round Body) with 19-21mm ½ Circle Needle Pack of 36 or Dozen pack Packed in carton (USA, Europe, japan)						REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Poor Quality, Weak Strength Pack Size detail is not provided Not User Friendly Hence Rejected	No Sample for Evaluation is Provided Pack Size detail is not provided China imported are not demanded Hence Rejected	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)			12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)			06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)			03								
		Total points = 50			33								


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Peds Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

87.

Polypropylene

No. 01 Round Body with 38-45mm ½ Circle Needle Pack of 36 or Dozen
pack Packed in Carton (USA, Europe, Japan)

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Jamal Dins & Sons Surgiline Vikor Healthcare UK & Brazil	M/S: Superior Healthcare international. PALENE Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. SURGIPRO 1 40mm Covidien USA	M/S: Muller & Phipps Lahore Suture Non-Absorb-Prolene Johnson & Johnson	M/S: Friends Enterprises Polypropylene SMI, SMI Blegium					REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	Poor Quality, Weak Strength Pack Size detail is not provided Not User Friendly Hence Rejected	No Sample for Evaluation is Provided Pack Size detail is not provided China imported are not demanded Hence Rejected	04	04	Pack Size detail is not provided, Hence Rejected					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)			12	12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)			06	06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)			03	03						
		Total points = 50			33	33						

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

88.		Polypropylene					No. 2/0 with 24-27mm, 3/8 Circle Reverse Cutting, Prime Needle Pack of 36 or Dozen pack Packed in Carton (USA, Europe, Japan)					REMARKS				
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Jamal Dins & Sons Surgiline Vikor Healthcare UK & Brazil	M/S: Superior Healthcare international. PALENE Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. SURGIPRO 2 24mm Covidien USA	M/S: Muller & Phipps Lahore Suture Non-Absorb-Prolene Johnson & Johnson	M/S: Friends Enterprises Polypropylene SMI, SMI Blegium									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Poor Quality, Weak Strength Pack Size detail is not provided Not User Friendly Hence Rejected	No Sample for Evaluation is Provided Pack Size detail is not provided China imported are not demanded Hence Rejected	04 04 02 02	04 04 02 02	Pack Size detail is not provided. Hence Rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)														
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)														
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)														
		Total points = 50			33	33										

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

89.		Polypropylene					No.3/0 Round Body ½ Circle Needle Pack of 36 or Dozen pack Packed in Carton (USA, Europe, Japan)				REMARKS					
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Jamal Dins & Sons Surgiline Vikor Healthcare UK & Brazil	M/S: Superior Healthcare international. PALENE Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. SURGIPRO 3 26mm Covidien USA	M/S: Muller & Phipps Lahore Suture Non-Absorb-Prolene Johnson & Johnson	M/S: Friends Enterprises Polypropylene SMI, SMI Blegium									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	Poor Quality. Weak Strength Pack Size detail is not provided Not User Friendly Hence Rejected	No Sample for Evaluation is Provided Pack Size detail is not provided China imported are not demanded Hence Rejected	04 04 02 02	Sample for Evaluation is Not provided Hence Rejected	Pack Size detail is not provided, Hence Rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)														
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)								06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)								03						
		Total points = 50			33											

2/24/23
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Jamal Dins & Sons Surgiline Vikor Healthcare UK & Brazil	M/S: Superior Healthcare international. PALENE Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. SURGIPRO 4 26mm Covidien USA	No.4/0 Round Body 24-27mm, 1/2 Circle Needle Pack of 36 or Dozen pack Packed in Carton (USA, Europe, Japan)					REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Poor Quality, Weak Strength Pack Size detail is not provided Not User Friendly Hence Rejected	No Sample for Evaluation is Provided Pack Size detail is not provided China imported are not demanded Hence Rejected	No Sample for Evaluation is Provided China imported are not demanded Hence Rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

91.		Polypropylene		No. 5/0 16-19mm, 1/2 Circle Round Bodied Double Needle Pack of 36 or Dozen pack Packed in Carton (USA, Europe, Japan)							REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. SURGIPRO 6 16mm Covidien USA	M/S: Muller & Phipps Lahore Suture Non-Absorb-Prolene Johnson & Johnson							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	04 04 02 02	Sample For evaluation is not Provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)	04								
		Total points = 50	34								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

93.

Polypropylene

6/0 cutting needle pack of 36 or Dozen Pack USA Europe Japan

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. SURGIPRO 6 16mm Covidien USA									REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04									
		Total points = 50	38									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Fatouq
Dr. Shafiq Fatouq
Senior Registrar Peads/Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

94. Polyglactin		No. 1 Round Body 38-45mm ½ Circle Needle, Pack of 36 or Dozen pack Packed in Carton (USA, Europe, Japan)											
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. PACYRL Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. POLYSORB I 40mm Covidien USA	M/S: Muller & Phipps Lahore Suture Absorbable Vicryl plus Johnson & Johnson	M/S: Friends Enterprises Surgicryl 910 SMI, SMI Blegium							REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Pack Size detail is not provided China imported are not demanded Hence Rejected	04	04	Not User Friendly Hence Rejected Pack Size detail is not provided Hence Rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03	03								
		Total points = 50		33									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Harooq
Dr. Shafiq Harooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

No. 2/0 24-27mm ½ Circle Round Body, Pack of 36 or Dozen pack
Packed in Carton (USA, Europe, Japan)

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. PACYRL Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. POLYSORB 2 26mm Covidien USA	M/S: Muller & Phipps Lahore Suture Absorbable Vicryl plus Johnson & Johnson	M/S: Friends Enterprises Surgicryl 910 SMI, SMI Blegium						REMARKS		
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Pack Size detail is not provided China imported are not demanded Hence Rejected	04 04 02 02	Sample For Evaluation is not provided hence rejected	Not User Friendly Hence Rejected Pack Size detail is not provided Hence Rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)					12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)					06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)					03							
		Total points = 50		33										

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

96.		Polyglactin				No. 3/0 20-27mm ½ Circle Round Body Pack of 36 or Dozen pack Packed in Carton (USA, Europe, Japan)					REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. PACYRL Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. POLYSORB 3 22mm Covidien USA	M/S: Muller & Phipps Lahore Suture Absorbable Vicryl plus Johnson & Johnson	M/S: Friends Enterprises Surgicryl 910 SMI, SMI Blegium						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Pack Size detail is not provided China imported are not demanded Hence Rejected	04 04 02 02	04 04 02 02	Not User Friendly Hence Rejected Pack Size detail is not provided Hence Rejected						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03	03							
		Total points = 50		33	33							

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23

CHILDREN HOSPITAL FAISALABAD.

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

97.		Polyglactin				No. 4/0 20-24mm ½ Circle Round Body Pack of 36 or Dozen pack Packed in Carton (USA, Europe, Japan)					REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. PACYRL Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. POLYSORB 4 22mm Covidien USA	M/S: Muller & Phipps Lahore Suture Absorbable Vicryl plus Johnson & Johnson	M/S: Friends Enterprises Surgicryl 910 SMI, SMI Blegium						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Pack Size detail is not provided China imported are not demanded Hence Rejected	04 04 02 02	04 04 02 02	Not User Friendly Hence Rejected Pack Size detail is not provided Hence Rejected						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03	03							
		Total points = 50		33	33							

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

98.

Polyglactin

No 5/0 Round Body 12-16mm 3/8 Circle needle, Pack of 36 or Dozen
pack Packed in Carton (USA, Europe, Japan)

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. POLYSORB 5 17mm Covidien USA	M/S: Friends Enterprises Surgicryl 910 Changshu kangbao China								REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12	Pack size detail is Not provided China imported sample is not demanded									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03										
		Total points = 50	33										


Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)


Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. POLYSORB 6 8.6mm Covidien USA	M/S: Muller & Phipps Lahore Suture Absorbable Vicryl Johnson & Johnson	M/S: Friends Enterprises Surgicryl 910 Changshu kangbao China						REMARKS
	99. Polyglactin		No. 6/0 7-15mm ¼ Circle Round Body Pack of 36 or Dozen pack Packed in Carton (USA, Europe, Japan)								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)	03								
		Total points = 50	33								


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

100.		Polyglactin			3/0 Cutting Pack of 36 or Dozen pack Packed in Carton (USA, Europe, Japan)						REMARKS		
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. PACYRL Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. POLYSORB 3 16mm Covidien USA	M/S: Muller & Phipps Lahore Suture Absorbable Vicryl Johnson & Johnson								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Pack Size detail is not provided China imported are not demanded Hence Rejected	04 04 02 02	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)			12	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)			06	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)			03	03							
		Total points = 50			33	33							

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

101.

Polyglactin

2/0 Cutting Pack of 36 or Dozen pack Packed in Carton (USA, Europe, Japan)

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. PACYRL Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. POLYSORB 2 24mm Covidien USA								REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Pack Size detail is not provided China imported are not demanded Hence Rejected	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03									
		Total points = 50		33									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. PACYRL Huaian Pingan medical instrument China	M/S: Popular international Pvt Ltd. MAXON 4 20mm Covidien USA	M/S: Muller & Phipps Lahore Suture Absorbable PDS Johnson & Johnson	4/0 19-21mm ½ Circle Round Body Pack of 36 or Dozen pack Packed in Carton (USA, Europe, Japan)						REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Pack Size detail is not provided China imported are not demanded Hence Rejected	04 04 02 02	Drap Registration certificate is not provided Hence Rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03									
		Total points = 50		33									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. MAXON 5 17mm Covidien USA									REMARKS
	103. PDS											
	5/0 16-19mm ½ Circle Round Body Pack of 36 or Dozen pack Packed in Carton (USA, Europe, Japan)											
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04									
		Total points = 50	36									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

112.		Disposable Sucker Pipe with Nozzle				Compatible with sucker machine				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: M Yousaf & Co. Skymax Cardiac Surgical disposable Cannula Skybro Health Care Pakistan	M/S: Superior Healthcare international. Wellmed Changhou Yaping Medical China	M/S: Ali Medical Store Yankauer Suction Connecting Set+ Handle Bulb Tip Cut fit 300cm Bicakcilar dis Ticaret A.S Turkey					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	Quoted items on tech bid is not as per specification Hence Rejected	04 04 02 02	Not User Friendly Hence Rejected					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)		12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)		06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)		04						
		Total points = 50		34						

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peditric Surgery
 Children Hospital Faisalabad
 (Chairman)

《 BID EVALUATION REPORT 》
FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

113.		Chlorhexidine Gauze Dressing					10x10cm (BPC) Pack of Dressing					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Bactigrass Essity Germany									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)	12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)	06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)	04									
		Total points = 50	34									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

115.		Urine bag			1000ml Capacity					REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Medicare Imported China	M/S: Superior Healthcare international. Wellmed Changhou Yaping Medical China	M/S: Ali Medical Store Curaflow Changzhou Cornwall Medica China						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Sample for Evaluation is Not provided hence Rejected	2000ml capacity Sample provided instead of 1000ml demanded Hence Rejected	2000ml capacity Sample provided instead of 1000ml demanded Hence Rejected						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

116.

Baby Urine Bag

Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Irshad-UI-Haq Enterprises Medicare Imported China									REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided hence rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

117.

Wide Area Adhesive

Pack of 10 meter

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Hope Enterprises Fixopore Arsons Pharmaceuticals	M/S: Tanveer Enterprises Fsd Fixomull Essity Germany	M/S: Ali Medical Store Hospital and homecare Changzhou hualian health Dressing Co. Ltd							REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	1m size is provided instead of demanded 10m Hence Rejected	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12		12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08		08							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03		03							
		Total points = 50	35		35							

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Citrosteril Sol Fresenius Medical Germany	M/S: Ali Medical Store Lifemed Citro HD 3N- Lifemed Pharma Pakistan								REMARKS		
	118.	Disinfection Solution for Dialysis machine	Compatible with Fresenius Machine											
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Sample For Evaluation is Not Provided hence Rejected	Sample For Evaluation is Not Provided hence Rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)												
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)												
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)												
		Total points = 50												

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor pediaatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

119.		Diasafe plus Filter for dialysis Machine				Compatible with Fresenius Machine				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Diasafe Plus Fresenius Medical Germany							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04							
		Total points = 50	38							

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

120.		Blood Tubing set				6.4/ 6.5mm Best Quality				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. Vital Tubing Set, Vital Healthcare Malaysia	M/S: Tanveer Enterprises Fsd Fresenius Blood tubing Set Fresenius Medical Germany						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample For Evaluation is provided hence rejected	04 04 02 02						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		16						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		04						
		Total points = 50			38					

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Faqooq
Dr. Shafiq Faqooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

121.		Blood Tubing set				8mm Best Quality				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. Vital Tubing Set, Vital Healthcare Malaysia	M/S: Tanveer Enterprises Fsd Fresenius Blood tubing Set Fresenius Medical Germany						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample For Evaluation is provided hence rejected	04 04 02 02						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		16						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		04						
		Total points = 50			38					

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peds, Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

122.		Dialyzer		F3 Compatible with Fresenius Machine								REMARKS		
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. Vital Hollow fiber Dialyzer, Vital Healthcare Malaysia	M/S: Tanveer Enterprises Fsd Dialyzer Fx Fresenius Medical Germany										
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is provided hence rejected	Not Required hence rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)												
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)												
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)												
		Total points = 50												

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

123.		Dialyzer			F4 Compatible with Fresenius Machine					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. Vital Hollow fiber Dialyzer, Vital Healthcare Malaysia	M/S: Tanveer Enterprises Fsd Dialyzer F4HPS Fresenius Medical Germany						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample For Evaluation is Provided hence rejected	04 04 02 02						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		16						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		04						
		Total points = 50		38						

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

124.

Double Lumen Catheter

No. 14,16

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tahir Pharmacy Fsd Medcomp USA								REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Not User Friendly hence Rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									

Miss Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Fardooq
 Dr. Shafiq Fardooq
 Senior Registrar Peds Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peditric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

125.		Fistula Needle/ AV Needle				Best Quality				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. Vital Disposable Needle set Vital healthcare Malaysia	M/S: Tanveer Enterprises Fsd Fistula Needle Fresenius Medical Germany						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample For Evaluation is Provided Hence Rejected	04 04 02 02						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		16						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		04						
		Total points = 50		38						

Miss Ayesha-Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Assistant Professor peditric Surgery
Children Hospital Faisalabad
(Chairman)

127.		LP needle					18 G Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tahir Pharmacy Fsd EGEMEN International TMT Medical Turkey									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items	15										
	i. Finishing of the Product	(05)	04									
	ii. Use of Medical grade material (Product)	(05)	04									
	iii. Quality of printing (Label, outer carton, etc.)	(02)	02									
	iv. Quality of packing / packaging & labeling material etc.	(03)	02									
	v. Poor quality of printing / packing / packaging & labeling material etc.	(00)										
2.	Product's past experience	20										
	i) very good	(20)										
	ii) good	(16)										
	iii) satisfactory	(12)	12									
	iv) No past experience with this institution but the product is technically accepted.	(12)										
	v) Procuring agency has evidence of poor quality of the product (Technically rejected)	(00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity)	10										
	i. Less than 50%	(00)										
	ii. 50% to 60%	(06)	06									
	iii. 60% to 70%	(08)										
	iv. 71% and above	(10)										
4.	Experience of the product in the market	05										
	i) Less than 1 year experience	(00)										
	ii) 1-3 years experience	(03)	04									
	iii) 4-8 years experience	(04)										
	iv) 9-15 years (& above) experience	(05)										
	Total points =	50	34									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

128.

LP needle

27 G Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tahir Pharmacy Fsd EGEMEN International TMT Medical Turkey									REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04									
		Total points = 50	34									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

129.		LP needle						23 G Best Quality				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tahir Pharmacy Fsd EGEMEN International TMT Medical Turkey									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04									
		Total points = 50	34									

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Harooq
 Dr. Shafiq Harooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

130.		Bi bags			Compatible with Concentrate						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Bi Bags Fresenius Medical Germany	M/S: Ali Medical Store Lifemed bi Bag (Sodium bicarbonate Part-b powder) 3N- Lifemed Pharma Pakistan							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	No Sample for Evaluation is Provided hence Rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04								
		Total points = 50	34								


Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)


Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Rencarb Pharma Pakistan	M/S: Ali Medical Store Lifemed bicarb (concentrate Part-1 Low Potassium) 3N- Lifemed Pharma Pakistan								REMARKS	
	131. Haemo Dialysis Concentrate (low potassium)												
	Can of 4 Liter												
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	No Sample For Evaluation provided hence rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04										
		Total points = 50	34										



 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)



 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)



 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

132.		Haemo Dialysis Concentrate			Can of 4 Liter					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Rencarb Renacon Pharma Pakistan	M/S: Ali Medical Store Lifemed Bicarb concentrate 3N- Lifemed Pharma Pakistan						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	No Sample For Evaluation provided hence rejected						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04							
	Total points = 50		34							



 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)



 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)



 Dr. Sadaqat Ali
 Assistant Professor peditric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

133.		Skin grafting blade			Best Quality						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Friends Enterprises Feather Japan								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04								
		Total points = 50	38								



Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)



Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)



Dr. Sadaqat Ali
Assistant Professor peditric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

135.		VP Shunt low pressure						Best Quality				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. Essential Shunt Kit Burrhole 16mm, Intergra Lifscience USA									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample For Evaluation is Provided Hence rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										



 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)



 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)



 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《 BID EVALUATION REPORT 》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

136.		VP Shunt medium pressure					Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. Essential Shunt Kit Flate Bottom, Intergra Lifscience USA									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample For evaluation is Provided Hence Rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										



 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)



 Dr. Shafiq Fasoq
 Senior Registrar Peads/Orthopedics
 Children Hospital Faisalabad
 (Member)



 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

137.		Opsite				15cm x 28cm (pre op.)				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Opsite Essity, Germany							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04							
		Total points = 50	38							



Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)



Dr. Shafiq Barooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)



Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

138.		Bone wax		Best Quality							REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. BONE WAX Cylinder 2.5G Covidien USA								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04								
		Total points = 50	38								



Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)



Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)



Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《 BID EVALUATION REPORT 》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

139.		P.D Catheter						pediatric size				REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tahir Pharmacy Fsd Medcomp USA										
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample For Evaluation is Provided Enlistment/Registration from DRAP is not provided hence Rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											



 Miss Aysha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)



 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)



 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

140.		P.D Catheter						Adult size				REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tahir Pharmacy Fsd Medcomp USA										
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample For Evaluation is Provided Enlistment/Registration from DRAP is not provided hence Rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											



 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)



 Dr. Shafiq Farooq
 Senior Registrar Peds Orthopedics
 Children Hospital Faisalabad
 (Member)



 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

142.		Kidney Biopsy Needle						16 G Best Quality						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Starcut TSK Japan											
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Not User Friendly Hence Rejected											
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)												
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)												
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)												
		Total points = 50												


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor peditric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

145.		Chlorhexidine 4% Solution				Bottle of 500ml with Pump, Drap Registered				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Hope Enterprises Haxishield Higehban (Promark) Pakistan	M/S: Friends Enterprises HiClean CHX Surgical Atco Labs Pakistan						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)		04 04 02 02						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		04						
		Total points = 50		34						

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

146.		Three way Stoper			Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Superior Healthcare international. Wellmed Suzhou Health Plastic Products China	M/S: Friends Enterprises Max Changshu Kangbao China	M/S: Ibrahim Enterprises SAFEONE Silver Surgical Complex Pakistan	M/S: Ali Medical Store • Plain Stopper • With tubing Bicakclar Dis Ticaret A.S Turkey				
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	Drap Registration is not provided hence Rejected	04 04 02 02	04 04 02 02				
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12		12	12				
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06		06	08				
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04		04	03				
		Total points = 50	34			34	35			

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

153.		LMA			#1 (Air based Laryngeal mask)						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Fortune Medical Taiwan	M/S: Tanveer Enterprises Fsd Emedical LMA1 Excellentcare Medical/4A China							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									

KEEP PENDING

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peditric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

154.	LMA	#2 (Air based Laryngeal mask)								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Fortune Medical Taiwan	M/S: Tanveer Enterprises Fsd Emedical LMA2 Excellentcare Medical/4A China						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)								
		Total points = 50								

KEEP PENDING

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shahiq Farooq
 Dr. Shahiq Farooq
 Senior Registrar/Peds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《 BID EVALUATION REPORT 》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

155.		LMA		#3 (Air based Laryngeal mask)							REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Fortune Medical Taiwan	M/S: Tanveer Enterprises Fsd Emedical LMA3 Excellentcare Medical/4A China							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									

KEEP PENDING

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

156.		Anesthesia mask			Disposable Single use						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Emedical Anesthesia Mask Excellentcare Medical/4A China								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04								
		Total points = 50	34								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

158.

Disposable Sterilized Stelete for ETT

6 Fr

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Ibrahim Enterprises HiteCare Hitec Medical China									REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap Enlistment/Registration is not provided hence rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

160.

Disposable Sterilized Stelete for ETT

10 Fr

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Ibrahim Enterprises HiteCare Hitec Medical China									REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Sample For Evaluation is not provided hence rejected Drap Enlistment/Registration is not provided hence rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
 EVALUATION OF SURGICAL & DISPOSABLE ITEMS

161.		Skin stapler		Best Quality							REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: M Yousaf & Co. Citec Skin Stapler Pride China	M/S: Superior Healthcare international. Wellmed Jiangsu Ripe Medical China	M/S: Popular international Pvt Ltd. Kangdi Covidien USA	M/S: Friends Enterprises ADVAN Ningbo China	M/S: Ali Medical Store Celtics Jiangsu Celtics China				
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)									
		Total points = 50									

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

164.

Applicator with magnet for vent

Best Quality Compatible with Vent

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Clinical Life Inc. F. Stephen GmbH Germany									REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03									
		Total points = 50	33									

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS


165.		Decoupling tube set				Best Quality Compatible with Vent						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Clinical Life Inc. F. Stephen GmbH Germany									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03									
		Total points = 50	33									


Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)


Shafiq Fayooq
 Dr. Shafiq Fayooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

166.		Nasal prong small size (for Ventilator)				Silicon Made Compatible with Ventilator					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Clinical Life Inc. F. Stephen GmbH Germany								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)	03								
		Total points = 50	33								


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

167.		Nasal prong medium size (for Ventilator)				Silicon Made Compatible with Ventilator					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Clinical Life Inc. F. Stephen GmbH Germany								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03								
		Total points = 50	33								

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

168.		Bonnet	Large Size Compatible with Vent								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Clinical Life Inc. F. Stephen GmbH Germany								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03								
		Total points = 50	33								

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

169.		Bonnet				X- Large Size Compatible with Vent					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Clinical Life Inc. F. Stephen GmbH Germany								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)	03								
		Total points = 50	33								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

170.		Bonnet		XXL size Compatible with Vent							REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Clinical Life Inc. F. Stephen GmbH Germany								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03								
		Total points = 50	33								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

179.		C-PAP Breathing circuit for hi pap					Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Emedical C-pep Excellentcare Medical/4A China									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Not User Friendly Hence Rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										


Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)


Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)


Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

180.		High flow nasal cannula				Best Quality				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tanveer Enterprises Fsd Emedical High flow Nasal Canula Excellentcare Medical/4A China							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Not User Friendly Hence Rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)								
		Total points = 50								


 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)


 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)


 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

185.		GIA Stapler Auto Suture 60			Best Quality						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. GIA Stapler 3.8-60mm Covidien USA								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)	16								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)	08								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)	04								
		Total points = 50	40								

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Heads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

186.		GIA Stapler Auto Suture 80			Best Quality						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. GIA Stapler 3.8-80mm Covidien USA								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04								
		Total points = 50	40								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

187.		GIA Stapler Auto Suture 100				Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. GIA Stapler 3.8-100mm Covidien USA								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04								
		Total points = 50	40								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

188.	GIA Stapler Auto Suture Reload No.60		Best Quality								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. GIA Loading Unit 3.8-60mm Covidien USA								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04								
		Total points = 50	40								

Ayesh Nazir
 Miss Aysha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peditric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

189.	GIA Stapler Auto Suture Reload No.80	Best Quality								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. GIA Loading Unit 3.8-80mm Covidien USA							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04							
		Total points = 50	40							

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

190.	GIA Stapler Auto Suture Reload No.100	Best Quality										REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Popular international Pvt Ltd. GIA Loading Unit 3.8-100mm Covidien USA									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	08									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04									
		Total points = 50	40									

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《 BID EVALUATION REPORT 》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

192.		NIH Catheter						5F, Best Quality				REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Global Marketing Services Super Torque plus Cordis USA										
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Sample For Evaluation is not provided hence rejected Drap Enlistment/Registration is not provided hence rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											

Ayesha Nazir
Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

193.		JR4		4F, Best Quality							REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Global Marketing Services Infiniti Cordis USA								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Sample For Evaluation is not provided hence rejected Drap Enlistment/Registration is not provided hence rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Assistant Professor peditric Surgery
Children Hospital Faisalabad
(Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Global Marketing Services Infiniti Cordis USA									REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Sample For Evaluation is not provided hence rejected Drap Enlistment/Registration is not provided hence rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

195.

MPA1

4F, Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Global Marketing Services Infiniti Cordis USA								REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03								
		Total points = 50	33								

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

196.

MPA1

5F, Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Global Marketing Services Infiniti Cordis USA	M/S: Verizon Cook Medical Europe/USA							REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03	03							
		Total points = 50	33	33							

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

197.		Pigtail Catheter					4Fr Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Global Marketing Services Avanti + Cordis USA									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)	12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)	06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)	03									
		Total points = 50	33									

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

198.

Pigtail Catheter

5Fr Best Quality

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Global Marketing Services Avanti + Cordis USA								REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 03								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04								
		Total points = 50	35								

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

199.		Radial Sheath				4F, Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Global Marketing Services Avanti + Cordis USA	M/S: Verizon Cook Medical Europe/USA	M/S: Intek Corporation Shocin Introducer Kit Lepu Medical China	M/S: Bestech Enterprises Fsd Y-H Medical China					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 03	04 04 02 03	04 04 02 03	No Sample For Evaluation is provided hence rejected					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12	12	12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06	06	06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04	04	04						
	Total points =	50	35	35	35						

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

201.		Radial Sheath			6F, Best Quality					REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Global Marketing Services Avanti + Cordis USA	M/S: Verizon Cook Medical Europe/USA	M/S: Intek Corporation Shocin Introducer Kit Lepu Medical China	M/S: Bestech Enterprises Fsd Y-H Medical China					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	04 04 02 02	04 04 02 02						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12	12	12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06	06	06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03	03	03						
		Total points = 50	33	33	33						

Sample For Evaluation is not Provided Hence Rejected

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peds/Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peditric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

202.		Radial Sheath						7F, Best Quality				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Global Marketing Services Avanti + Cordis USA									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03									
		Total points = 50	33									

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

204.		BAS Balloon		Best Quality								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Intek Corporation Z-5 Septostomy Balloon Numed USA Canada									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03									
		Total points = 50	33									

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

205.		Septostomy Balloon								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Intek Corporation Z-5 Septostomy Balloon Numed USA Canada							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03							
		Total points = 50	33							

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

206.		Guide Wire (Touremo)			021/260 Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Intek Corporation Radifocus G Wire M Terumo, Japan							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12							
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06							
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03							
		Total points = 50	33							

Miss Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads/Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

207.		Guide Wire (Touremo)			035/260 Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA	M/S: Intek Corporation Radifocus G Wire M Terumo, Japan						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap Registration/Enlistment is not provided hence rejected	04 04 02 02						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03						
		Total points = 50		33						

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

209.		Glide wire				035/ 260 Best Quality						REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA	M/S: Intek Corporation Radifocus G Wire M Terumo, Japan									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap Registration/Enlistment is not provided hence rejected	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)		12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)		06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)		03									
		Total points = 50		33									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peditric Surgery
Children Hospital Faisalabad
(Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

210.		Glide wire							018/260 Best Quality				REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA											
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap Registration/Enlistment is not provided hence rejected											
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)												
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)												
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)												
		Total points = 50												

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

211.		Valvo Plasty Baloon						Best Quality				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Intek Corporation Tyshak II Numed USA /Canada									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03									
		Total points = 50	33									

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Dr. Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Dr. Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《 BID EVALUATION REPORT 》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

212.		PDA Devices				Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Intek Corporation MemoPart PDA SHSMA Lepu Medical China								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03								
		Total points = 50	33								

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

213. Delivery System of PDA Device

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Intek Corporation MemoPart PDA Deleviery System SHSMA Lepu Medical China								REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03								
		Total points = 50	33								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

214.		Implanzer wire			035/260 Best Quality							REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Global Marketing Services Emarled Cordis USA	M/S: Verizon 035/260 Best Quality Cook Medical Europe/USA									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02	Drap Registration Certificate/enlistment is not provided Hence Rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	03										
		Total points = 50	33										

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peditric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

218.		Pressure Lines	600 PSI Best Quality								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Ali Medical Store Pressure Line 800Psi Bicakcilar Dis Trcaret A.S Turkey								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	800Psi Sample is provided Instead of Demanded 600psi Hence Rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									

Jyesl Fahi
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

« BID EVALUATION REPORT »
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

219.		Injector Line	900 PSI Best Quality								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Ali Medical Store Pressure Line 1200Psi Bicakcilar Dis Trecret A.S Turkey								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	1200psi is provided instead of demanded 900psi hence rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

220.		Short Sheeth	5Fr Best Quality (Radial)							REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Intek Corporation Shocin Introducer Kit Lepu Medical China							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Sample for evaluation is not provided hence rejected Drap Registration certificate/enlistment is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)								
		Total points = 50								

Ayesha Nazir

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq

Dr. Shafiq Farooq
Senior Registrar Peadi Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali

Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

221.		Short Sheeth	6Fr Best Quality (Radial)								REMARKS		
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Intek Corporation Shocin Introducer Kit Lepu Medical China										
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	Sample for evaluation is not provided hence rejected Drap Registration certificate/enlistment is not provided hence rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)											
		Total points = 50											

Syed / Fat
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Intek Corporation Runthorough NS Terumo Japan									REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Sample for evaluation is not provided hence rejected Drap Registration certificate/enlistment is not provided hence rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										

Ayesha Nazir

Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq

Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali

Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

225.		Multiple Drain system				8 Fr, Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap Enlistment / Registration Certificate is Not provided								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

226.		Multiple Drain system			10 Fr, Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap Enlistment / Registration Certificate is Not provided							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)								
		Total points = 50								


Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

231.		Shooter large		Best Quality							REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap Registration Certificate /Enlistment is not Provided Hence Rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

232.		Shooter small			Best Quality							REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA										
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap Enlistment / Registration Certificate is Not provided										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

233.		Gastro biopsy forceps				160 cm(2.4) Best Quality					REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA	M/S: Ali Medical Store Micro Tech Micro-Tech Nanjing Co. China								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	Drap Enlistment / Registration Certificate is Not provided	No Sample For Evaluation is provided hence rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)										
		Total points = 50										


Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Shafiq Favoog
Dr. Shafiq Favoog
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

234.		Colono biopsy forceps				230 cm(2.8) Best Quality					REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA	M/S: Ali Medical Store Micro Tech Micro-Tech Nanjing Co. China								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap Enlistment / Registration Certificate is Not provided	No Sample For Evaluation is provided hence rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

235.		Sclerotherapy needle No.				21 G, Best Quality				REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

237.		Snares for Polypectomy			Best Quality						REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA	M/S: Bestech Enterprises Fsd Marflow AG Swiss								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										


Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

238.		Dormia Basket			Best Quality						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									


Miss Ayasha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

239.		Retrival Net	Best Quality								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Fardog
Dr. Shafiq Fardog
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

240.		CRE Balloon			6mm, to 8mm Best Quality					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)								
		Total points = 50								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

241.		CRE Balloon	08mm,10mm Best Quality								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drup Enlistment/Registration certificate is not provided hence rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

242.		CRE Balloon			10mm,12mm Best Quality						REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA	M/S: Bestech Enterprises Fsd Marflow AG Swiss	M/S: Ali Medical Store Micro Tech Nanjing Co. China							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap Enlistment/Registration certificate is not provided hence rejected	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected	Drap Enlistment/Registration certificate is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

243.		CRE Balloon			12mm to 15mm Best Quality						REMARKS		
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA	M/S: Bestech Enterprises Fsd Marflow AG Swiss	M/S: Ali Medical Store Micro Tech Micro-Tech Nanjing Co. China								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											


yes
for
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Shafiq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)


Sadaqat
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

244.		Balloon Dialator		Best Quality								REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

245.		Liver Biopsy Needle			16 G Best Quality							REMARKS		
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Tahir Pharmacy Fsd EGEMEN International TMT Medical Turkey	M/S: Tanveer Enterprises Fsd Surecut TSK Japan										
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	Not User Friendly hence rejected	Drap Enlistment/Registration certificate is not provided hence rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)												
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)												
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)												
		Total points = 50												

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

254.		Polyglactin				6/0 Double Needle(USA, Europe, Japan)				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Muller & Phipps Lahore Suture Absorbable Vicryl Johnson & Johnson							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)								
		Total points = 50								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

266.		Pigtail Catheter for Endoscopy				08, 10 Fr Best Quality				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)								
		Total points = 50								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

267.		Sclerotherapy Needle				23G , 230cm				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)								
		Total points = 50								


Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

268.		Sclerotherapy Needle				21G , 165cm				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)								
		Total points = 50								


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

272.

BiWire® Nitinol Core Wire Guide Extra Stiff

Length cm 145, Diameter inches .038, Tip configuration: flexible, Tip
Length cm.5, coating. PTFE

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA									REMARKS	
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap Enlistment/Registration certificate is not provided hence rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

273.		Amplatz Renal introducer			Fr.24, Dilator length cm 30, Sheath length cm 16						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap Enlistment/Registration certificate is not provided hence rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)


FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

275.	NCompass® Nitinol Stone Extractor	Fr. 2.4 to 2.8, Length 115, Basket diameter cm 1.0, Basket configuration 4 wires/ 16 wires
------	-----------------------------------	--

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA									REMARKS
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	Drap. Enlistment/Registration certificate is not provided hence rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										



Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)



Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)



Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA									REMARKS
	277.	NForce® Nitinol Helical Stone Extractor	Fr. 10.0, Length cm 38, Basket diameter 1.5 cm									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										


 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)


 Dr. Shafiq Farooq
 Senior Registrar/Peds Orthopedics
 Children Hospital Faisalabad
 (Member)


 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss										REMARKS
	278. Nephrostomy Stone Basket for lithotripsy												
	Size 3 Length 55 cm												
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											


Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)


Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

279.		Stone Basket		Fr. 4.5 to 5.5 Length cm 115, Expanded diameter mm 8							REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

«BID EVALUATION REPORT»
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

280.		Rat tooth Retrieval forceps single jaw					Fr. 3.3, Length cm 115					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA FR. 3.0									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Peads Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor peadiatric Surgery
 Children Hospital Faisalabad
 (Chairman)

《BID EVALUATION REPORT》
FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

282.		DJ stent 2.5 to 3 Fr. With Guide wire				Fr.2.5 to 3				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)								
		Total points = 50								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds, Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss										REMARKS
		283.	DJ stent 3.5 to 4.5 Fr. With Guide wire	Fr. 3.5 to 4.5									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											


Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)


Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

284.		DJ stent 4.6 to 5.5 Fr. With Guide wire			Fr. 4.6 to 5.5					REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA FR 4.1 to 5	M/S: Bestech Enterprises Fsd Marflow AG Swiss							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									


Miss Aysha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

285.		DJ stent 5.6 to 6.5 Fr. With Guide wire				Fr. 5.6 to 6.5				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA	M/S: Bestech Enterprises Fsd Marflow AG Swiss						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)								
		Total points = 50								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

286.		PCNL- Drape Sheets			Pouch on one side , canter onsite , Adhesive , transparent						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Hope Enterprises Euroset Nurel Turkey								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	16								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04								
		Total points = 50	38								


Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peds Orthopedics
Children Hospital Faisalabad
(Member)


Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor peditric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

287.		Cobra Titanium Guidewire (straight tip)			L 150 cm, size 0.028"						REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected								
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)									
		Total points = 50									


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Peds Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

288.		Cobra Titanium Guidewire (straight tip)				L 150 cm, size 0.032"				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)								
		Total points = 50								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Peds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

289.		Cobra Titanium Guidewire (straight tip)					L 150 cm, size 0.035"					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Parooq
Dr. Shafiq Parooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

290.		Cobra Titanium Guidewire (straight tip)				L 150 cm, size 0.038"				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)								
		Total points = 50								

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Karoq
Dr. Shafiq Karoq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss									REMARKS
	291. Cobra Titanium Guidewire (J- tip)											
	L 150 cm, size 0.028"											
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shahid Farooq
Dr. Shahid Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

《BID EVALUATION REPORT》
 FOR TENDERS 2022-23
 CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

292.		Cobra Titanium Guidewire (J- tip)					L 150 cm, size 0.032"					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										

Ayesha Nazir
 Miss Ayesha Nazir
 Hospital Pharmacist
 Children Hospital Faisalabad
 (Member)

Shafiq Farooq
 Dr. Shafiq Farooq
 Senior Registrar Paeds Orthopedics
 Children Hospital Faisalabad
 (Member)

Sadaqat Ali
 Dr. Sadaqat Ali
 Assistant Professor paediatric Surgery
 Children Hospital Faisalabad
 (Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss									REMARKS	
	293. Cobra Titanium Guidewire (J- tip)			L 150 cm, size 0.035"									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss									REMARKS
	294. Cobra Titanum Guidewire (J- tip)			L 150 cm, size 0.038"								
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										


Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paed Orthopedics
Children Hospital Faisalabad
(Member)


Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

295.		Female Urethral Dilator		Taper size 3-10mm						REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA	M/S: Bestech Enterprises Fsd Marflow AG Swiss							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)									
		Total points = 50									


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Feroze
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

296.		Male Urethral Dilator				Taper size 3-10mm				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Bestech Enterprises Fsd Marflow AG Swiss							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)								
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)								
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)								
		Total points = 50								

Supesal path
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq
Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat
Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

297.		Amplatz Renal Dilation set (Fascial+renal Dilators)			8fr to 30 Fr					REMARKS	
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Cook Medical Europe/USA	M/S: Bestech Enterprises Fsd Marflow AG Swiss							
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	<u>15</u> (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected							
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	<u>20</u> (20) (16) (12) (12) (00)									
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	<u>10</u> (00) (06) (08) (10)									
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	<u>05</u> (00) (03) (04) (05)									
		Total points = 50									


Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Shafiq Feroz
Dr. Shafiq Feroz
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Richard Wolf Germany										REMARKS
	299.	Cutting electrode											
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Peads Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor peadiatric Surgery
Children Hospital Faisalabad
(Chairman)

SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Mono 9FR 0° Richard Wolf Germany										REMARKS
	300.	Hook electrode		1.9mm For telescope wolf compatible 8688.95									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected										
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)											
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)											
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)											
		Total points = 50											


Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

301.		Hook electrode					2.7mm For telescope wolf compatible 8416.09					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon Mono 11.5 FR 0° Richard Wolf Germany									
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	No Sample for Evaluation is Provided Hence Rejected Drap Enlistment/Registration certificate is not provided hence rejected									
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)										
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)										
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)										
		Total points = 50										


Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)


Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)


Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

FOR TENDERS 2022-23
CHILDREN HOSPITAL FAISALABAD.
EVALUATION OF SURGICAL & DISPOSABLE ITEMS

302.		Seal for URS		Compatible to URS 50 in packet				REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon (Option 1) Rubber Cap 0.5mm (Option 2) Seal Ø 7.5mm					
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02					
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12					
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06					
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04					
		Total points = 50	34					

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)

EVALUATION OF SURGICAL & DISPOSABLE ITEMS

303.		Seal for Nephroscope		Compatible to Nephroscope 50 in packet					REMARKS
SR. NO.	EVALUATION CRITERIA	POINTS	M/S: Verizon (Option 1) Rubber Cap 3.4-5.1mm (Option 2) Seal Ø 11mm						
1.	Physical Report (As Ascertained by TAC) Surgical/ Disposable Items i. Finishing of the Product ii. Use of Medical grade material (Product) iii. Quality of printing (Label, outer carton, etc.) iv. Quality of packing / packaging & labeling material etc. v. Poor quality of printing / packing / packaging & labeling material etc.	15 (05) (05) (02) (03) (00)	04 04 02 02						
2.	Product's past experience i) very good ii) good iii) satisfactory iv) No past experience with this institution but the product is technically accepted. v) Procuring agency has evidence of poor quality of the product (Technically rejected)	20 (20) (16) (12) (12) (00)	12						
3.	Production Capacity (Per day production capacity of relevant product against the total advertised quantity) i. Less than 50% ii. 50% to 60% iii. 60% to 70% iv. 71% and above	10 (00) (06) (08) (10)	06						
4.	Experience of the product in the market i) Less than 1 year experience ii) 1-3 years experience iii) 4-8 years experience iv) 9-15 years (& above) experience	05 (00) (03) (04) (05)	04						
		Total points = 50	34						

Tender Items No.

22,24,39,45,47,92,105,106,107,108,109,110,111,114,126,134,141,144,147,148,149,150,151,152,157,162,163,171,172,173,174,175,176,177,178,181,182,183,184,191,203,208,215,216,217,223,224,227,228,229,230,236,246,247,248,249,250,251,2252,253,255,256,257,258,259,260,261,262,263,264,265,269,270,276,281 Are Not Quoted by any firm.

Ayesha Nazir
Miss Ayesha Nazir
Hospital Pharmacist
Children Hospital Faisalabad
(Member)

Shafiq Farooq
Dr. Shafiq Farooq
Senior Registrar Paeds Orthopedics
Children Hospital Faisalabad
(Member)

Sadaqat Ali
Dr. Sadaqat Ali
Assistant Professor paediatric Surgery
Children Hospital Faisalabad
(Chairman)